


Drugs Identified in Deceased Persons by Florida Medical Examiners

2006 Report



Data Collection

The Office of Vital Statistics reported more than 171,000 deaths occurred in Florida during 2006. Of these, the medical examiners reported on 7,741 drug-related deaths (whether the cause of death or merely present) through toxicology reports submitted to the Medical Examiners Commission. This number is up from 7,573 cases reported in 2005. The vast majority of these 7,741 cases involved more than one drug listed in the report.

The state's medical examiners were asked to distinguish between the drugs being the "cause" of death or merely "present" in the body at the time of death. Although there were deaths involving other drugs in Florida, data was collected on the following drugs for this report:

- ✓ Benzodiazepines (Alprazolam, Diazepam, Flunitrazepam (Rohypnol), other Benzodiazepines);
- ✓ Cannabinoids;
- ✓ Carisoprodol/Meprobamate;
- ✓ Cocaine;
- ✓ Ethyl Alcohol;
- ✓ GHB;
- ✓ Inhalants (Freon, Nitrous Oxide, other Inhalants);
- ✓ Ketamine;
- ✓ Methylated Amphetamines (Amphetamines, Methamphetamine, MDMA (Ecstasy), MDA, MDEA, other Methylated Amphetamines);
- ✓ Opioids (Fentanyl, Heroin, Hydrocodone, Hydromorphone, Meperidine, Methadone, Morphine, Oxycodone, Propoxyphene, Tramadol, other Opioids);
and
- ✓ Phencyclidine (PCP).

Questions regarding this report can be directed to Medical Examiners Commission Chairman, Stephen J. Nelson, M.A., M.D., or Commission staff.

Report Summary

Some general statewide trends for 2006 are listed below:

- ✓ The three most frequently occurring drugs found in decedents were Ethyl Alcohol (3,698), Cocaine (2,052), and all Benzodiazepines (1,987).
- ✓ The drugs that caused the most deaths were Cocaine (829), Methadone (716), all Benzodiazepines (553), Oxycodone (496), Alprazolam (456), Ethyl Alcohol (378), Hydrocodone (236), and Morphine (229).
- ✓ The four drugs that were the most lethal (more than 50% of the deaths, in which these drugs were found, were caused by the drug) were Heroin (81.3%), Methadone (73.5%), Fentanyl (59.9%), and Oxycodone (53.7%).
- ✓ The prescription drugs (Benzodiazepines, Carisoprodol/Meprobamate, and all Opioids excluding Heroin) tracked through this report continued to be found more often than illicit drugs in both lethal (73%) and non-lethal (63%) levels during the year. Prescription drugs account for 67% of all drug occurrences in this report when Ethyl Alcohol is excluded.
- ✓ Occurrences of Oxycodone and Hydrocodone showed an increase of 28.9% and 12.8%, respectively during 2006 when compared with 2005. Also, deaths caused by Oxycodone (156 more than 2005) and Hydrocodone (15 more than 2005) increased this year.
- ✓ While Heroin continues to be the most lethal drug named in this report, Heroin occurrences declined by 21.3%, while deaths caused by Heroin decreased by 28.4% when comparing 2006 to 2005.
- ✓ Methadone occurrences increased in 2006 by 4.3%, and deaths caused by Methadone rose by 15.5% when compared to 2005.
- ✓ The MEC began tracking Cocaine-related deaths in 1987 and reported 664 occurrences. In 2006, occurrences of Cocaine were reported at 2,052, which is an increase of 5.6% when compared to 2005. Deaths caused by Cocaine also increased.
- ✓ Deaths with the occurrences of MDMA (Ecstasy) and MDA more than doubled in 2006 compared to 2005.
- ✓ Some notable decreases that occurred during the year are in the occurrences of Meperidine, Propoxyphene, Morphine, Tramadol, Ethyl Alcohol, and all Benzodiazepine cases.
- ✓ Alprazolam (Xanax) and Diazepam (Valium) dominate the category of Benzodiazepines, where occurrences of Alprazolam increased by 5.7%, Diazepam also slightly increased by 1.5% when compared to 2005.
- ✓ Codeine continues to be the predominant "Other Opioid" reported.
- ✓ The Medical Examiners Commission has discontinued tracking Carbon Monoxide as an "Other Inhalant" for it had not been consistently reported by the districts as an "inhalant" such as Freon and Nitrous Oxide.

Medical Examiners Commission Members

Stephen J. Nelson, M.A., M.D.
Chairman
District Ten Medical Examiner
(863) 298-4600

Jon R. Thogmartin, M.D.
District Six Medical Examiner

Honorable Grady C. Judd
Sheriff, Polk County

Mrs. Mariana Caballero
Stewart Enterprises

Mr. Ken Jones
Department of Health

Honorable Robert H. Dillinger, J.D.
Public Defender, Sixth Judicial Circuit

Honorable Bruce H. Colton, J.D.
State Attorney, Nineteenth Judicial Circuit

Robert J. Krauss, J.D.
Office of the Attorney General

Honorable Elizabeth Porter
County Commissioner, Columbia County

Table of Contents

| Table or Chart | Page |
|--|-------------|
| Map of Florida Medical Examiner Districts | 1 |
| Summary of Drug-Related Deaths January – December 2006 | 2 |
| Frequency of Occurrence of Drugs in Decedents January – December 2006 | 4 |
| Drug Detected at Death: Lethal vs. Non-Lethal | 5 |
| Comparison of 2005 & 2006 Drug-Related Deaths | 8 |
| Deaths in Which the Drugs Named Caused Death July 2005 – December 2006 | 10 |
| Alprazolam Deaths | 11 |
| Alprazolam Deaths by Age | 12 |
| Diazepam Deaths | 13 |
| Diazepam Deaths by Age | 14 |
| Oxycodone Deaths | 15 |
| Oxycodone Deaths by Age | 16 |
| Hydrocodone Deaths | 17 |
| Hydrocodone Deaths by Age | 18 |
| Methadone Deaths | 19 |
| Methadone Deaths by Age | 20 |
| Morphine Deaths | 21 |
| Morphine Deaths by Age | 22 |
| Propoxyphene Deaths | 23 |
| Propoxyphene Deaths by Age | 24 |
| Cocaine Deaths | 25 |
| Cocaine Deaths by Age | 26 |
| 15-Years of Cocaine Deaths Reported by Medical Examiners | 27 |
| Cocaine Deaths by Year | 28 |
| Heroin Deaths | 29 |
| Heroin Deaths by Age | 30 |
| Historical View of Heroin Deaths | 31 |
| Deaths Caused by Heroin by Year | 32 |
| Frequency of Occurrence of Other Benzodiazepines January – December 2006 | 33 |
| Manners of Death for Cases Reported | 34 |
| Medical Examiners Commission Staff | 37 |

Table 1

Summary of Drug-Related Deaths January – December 2006

| Drug Found in Body | | Total Occurrences | Cause | Present |
|--------------------------|--|----------------------------------|-------|---------|
| Ethyl Alcohol | | 3,698 | 378 | 3,320 |
| Methylated Amphetamines | All Methylated Amphetamine cases* | 207 | 41 | 166 |
| | Amphetamine | 122 | 12 | 110 |
| | Methamphetamine | 117 | 21 | 96 |
| | MDMA | 67 | 13 | 54 |
| | MDA | 42 | 3 | 39 |
| | MDEA | 0 | 0 | 0 |
| | Other Methylated Amphetamine | 9 | 2 | 7 |
| | Benzodiazepines | All Benzodiazepine cases* | 1,987 | 553 |
| Alprazolam | | 1,117 | 456 | 661 |
| Diazepam | | 617 | 138 | 479 |
| Flunitrazepam (Rohypnol) | | 1 | 1 | 0 |
| Other Benzodiazepine | | 1,025 | 127 | 898 |
| Cannabinoids | | 990 | 0 | 990 |
| Carisoprodol/Meprobamate | | 313 | 74 | 239 |
| Cocaine | | 2,052 | 829 | 1,223 |

*Note: Many of the deaths were found to have several drugs contributing to the death, thus the count of specific drugs listed is greater than the number of cases.

Table 1


Summary of Drug-Related Deaths (continued)

| Drug Found in Body | | Total Occurrences | Cause | Present |
|---------------------|------------------------------|-------------------|-------|---------|
| Inhalants | Freon | 1 | 1 | 0 |
| | Nitrous Oxide (N2O) | 1 | 1 | 0 |
| | Other Inhalant | 6 | 4 | 2 |
| GHB | | 4 | 2 | 2 |
| Ketamine | | 2 | 0 | 2 |
| Phencyclidine (PCP) | | 1 | 0 | 1 |
| Opioids | Heroin (only illicit opioid) | 96 | 78 | 18 |
| | Fentanyl | 187 | 112 | 75 |
| | Hydrocodone | 731 | 236 | 495 |
| | Hydromorphone | 138 | 31 | 107 |
| | Meperidine | 46 | 9 | 37 |
| | Methadone | 974 | 716 | 258 |
| | Morphine | 601 | 229 | 372 |
| | Oxycodone | 923 | 496 | 427 |
| | Propoxyphene | 328 | 71 | 257 |
| | Tramadol | 140 | 34 | 106 |
| | Other Opioid | 318 | 38 | 280 |

**Note: Many of the deaths were found to have several drugs contributing to the death, thus the count of specific drugs listed is greater than the number of cases.*

Chart 1




Frequency of Occurrence of Drugs in Decedents January – December 2006






Heroin, GHB, Ketamine, Freon, Hydromorphone, Meperidine, PCP, Tramadol, and other opioids/inhalants constituted less than 1% of the drug frequencies.

Note: Many of the deaths were found to have several drugs contributing to the death, thus the count of specific drugs is greater than the number of cases.

Drug Detected at Death: Lethal vs. Non-Lethal



Drug Detected at Death: Lethal vs. Non-Lethal



Drug Detected at Death: Lethal vs. Non-Lethal






Table 2

Comparison of Drug-Related Deaths 2005 vs. 2006

| Drug Found in Body | | 2005 | 2006 | Percentage Change |
|--------------------------|---|---------------------------------|-------|-------------------|
| Ethyl Alcohol | | 3,875 | 3,698 | -4.6% |
| Methylated Amphetamines | All Methylated Amphetamine cases | 175 | 207 | 18.3% |
| | Amphetamine | 102 | 122 | 19.6% |
| | Methamphetamine | 115 | 117 | 1.7% |
| | MDMA | 27 | 67 | 148.1% |
| | MDA | 18 | 42 | 133.3% |
| | MDEA | 1 | 0 | * |
| | Other Methylated Amphetamine | 8 | 9 | * |
| | Benzodiazepines | All Benzodiazepine cases | 2,080 | 1,987 |
| Alprazolam | | 1,057 | 1,117 | 5.7% |
| Diazepam | | 608 | 617 | 1.5% |
| Flunitrazepam (Rohypnol) | | 4 | 1 | * |
| Other Benzodiazepine | | 939 | 1,025 | 9.2% |
| Cannabinoids | | 843 | 990 | 17.4% |
| Carisoprodol/Meprobamate | 314 | 313 | -0.3% | |
| Cocaine | 1,943 | 2,052 | 5.6% | |

Note: (*) Due to small sample size, percentage change was not calculated.

Table 2


Comparison of Drug-Related Deaths (continued)

| Drug Found in Body | | 2005 | 2006 | Percentage Change |
|---------------------|------------------------------|------|------|-------------------|
| Inhalants | Freon | 2 | 1 | * |
| | Nitrous Oxide (N2O) | 0 | 1 | * |
| | Other Inhalant | 6 | 6 | No Change |
| GHB | | 9 | 4 | * |
| Ketamine | | 5 | 2 | * |
| Phencyclidine (PCP) | | 0 | 1 | * |
| Opioids | Heroin (only illicit opioid) | 122 | 96 | -21.3% |
| | Fentanyl | 178 | 187 | 5.1% |
| | Hydrocodone | 648 | 731 | 12.8% |
| | Hydromorphone | 108 | 138 | 27.8% |
| | Meperidine | 58 | 46 | -20.1% |
| | Methadone | 934 | 974 | 4.3% |
| | Morphine | 658 | 601 | -8.7% |
| | Oxycodone | 716 | 923 | 28.9% |
| | Propoxyphene | 368 | 328 | -10.9% |
| | Tramadol | 147 | 140 | -4.8% |
| | Other Opioid | 230 | 318 | 38.3% |

Note: (*) Due to small sample size, percentage change was not calculated.

Chart 3

Deaths in Which the Drugs Named Caused Death July 2005 – December 2006



Note: Due to small sample size, some drugs are not included in the above chart.

Table 3

Alprazolam Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Alprazolam | | | Deaths with Alprazolam Only | | | Deaths with Alprazolam in Combination with Other Drugs | | |
|--|-----------------|-------------------------------------|------------|------------|------------------------------------|-----------|-----------|---|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 66 | 43 | 23 | 1 | 0 | 1 | 65 | 43 | 22 |
| 2 | Tallahassee | 15 | 5 | 10 | 1 | 0 | 1 | 14 | 5 | 9 |
| 3 | Live Oak | 5 | 1 | 4 | 0 | 0 | 0 | 5 | 1 | 4 |
| 4 | Jacksonville | 121 | 60 | 61 | 5 | 1 | 4 | 116 | 59 | 57 |
| 5 | Leesburg | 23 | 9 | 14 | 1 | 1 | 0 | 22 | 8 | 14 |
| 6 | St. Petersburg | 118 | 34 | 84 | 4 | 1 | 3 | 114 | 33 | 81 |
| 7 | Daytona Beach | 46 | 11 | 35 | 1 | 0 | 1 | 45 | 11 | 34 |
| 8 | Gainesville | 25 | 9 | 16 | 4 | 0 | 4 | 21 | 9 | 12 |
| 9 | Orlando | 44 | 20 | 24 | 1 | 0 | 1 | 43 | 20 | 23 |
| 10 | Lakeland | 46 | 2 | 44 | 0 | 0 | 0 | 46 | 2 | 44 |
| 11 | Miami | 62 | 20 | 42 | 14 | 1 | 13 | 48 | 19 | 29 |
| 12 | Sarasota | 55 | 38 | 17 | 5 | 1 | 4 | 50 | 37 | 13 |
| 13 | Tampa | 83 | 55 | 28 | 8 | 4 | 4 | 75 | 51 | 24 |
| 14 | Panama City | 37 | 1 | 36 | 1 | 0 | 1 | 36 | 1 | 35 |
| 15 | West Palm Bch | 113 | 43 | 70 | 2 | 1 | 1 | 111 | 42 | 69 |
| 16 | Florida Keys | 11 | 6 | 5 | 1 | 0 | 1 | 10 | 6 | 4 |
| 17 | Ft. Lauderdale | 88 | 41 | 47 | 6 | 2 | 4 | 82 | 39 | 43 |
| 18 | Melbourne | 37 | 23 | 14 | 5 | 0 | 5 | 32 | 23 | 9 |
| 19 | Ft. Pierce | 30 | 3 | 27 | 0 | 0 | 0 | 30 | 3 | 27 |
| 20 | Naples | 16 | 1 | 15 | 0 | 0 | 0 | 16 | 1 | 15 |
| 21 | Ft. Myers | 38 | 22 | 16 | 2 | 0 | 2 | 36 | 22 | 14 |
| 22 | Port Charlotte | 12 | 0 | 12 | 3 | 0 | 3 | 9 | 0 | 9 |
| 23 | St. Augustine | 12 | 5 | 7 | 2 | 0 | 2 | 10 | 5 | 5 |
| 24 | Sanford | 14 | 4 | 10 | 1 | 0 | 1 | 13 | 4 | 9 |
| Statewide Totals | | 1,117 | 456 | 661 | 68 | 12 | 56 | 1,049 | 444 | 605 |

Table 4

Alprazolam Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|--------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 66 |
| 2 | Tallahassee | 15 |
| 3 | Live Oak | 5 |
| 4 | Jacksonville | 121 |
| 5 | Leesburg | 23 |
| 6 | St. Petersburg | 118 |
| 7 | Daytona Beach | 46 |
| 8 | Gainesville | 25 |
| 9 | Orlando | 44 |
| 10 | Lakeland | 46 |
| 11 | Miami | 62 |
| 12 | Sarasota | 55 |
| 13 | Tampa | 83 |
| 14 | Panama City | 37 |
| 15 | West Palm Bch | 113 |
| 16 | Florida Keys | 11 |
| 17 | Ft. Lauderdale | 88 |
| 18 | Melbourne | 37 |
| 19 | Ft. Pierce | 30 |
| 20 | Naples | 16 |
| 21 | Ft. Myers | 38 |
| 22 | Port Charlotte | 12 |
| 23 | St. Augustine | 12 |
| 24 | Sanford | 14 |
| Statewide Totals | | 1,117 |

| Alprazolam Found at Lethal Levels | | | | | | |
|-----------------------------------|----------|-----------|-----------|------------|-----------|--|
| Age of Decedent | | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 | |
| 43 | 1 | 8 | 5 | 22 | 7 | |
| 5 | 0 | 1 | 1 | 1 | 2 | |
| 1 | 0 | 0 | 1 | 0 | 0 | |
| 60 | 0 | 9 | 15 | 27 | 9 | |
| 9 | 0 | 1 | 2 | 3 | 3 | |
| 34 | 1 | 3 | 7 | 15 | 8 | |
| 11 | 0 | 2 | 1 | 6 | 2 | |
| 9 | 0 | 2 | 3 | 4 | 0 | |
| 20 | 0 | 2 | 7 | 9 | 2 | |
| 2 | 0 | 0 | 1 | 1 | 0 | |
| 20 | 1 | 6 | 4 | 6 | 3 | |
| 38 | 0 | 15 | 9 | 10 | 4 | |
| 55 | 1 | 11 | 10 | 24 | 9 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 43 | 1 | 10 | 7 | 21 | 4 | |
| 6 | 0 | 3 | 0 | 2 | 1 | |
| 41 | 1 | 7 | 8 | 15 | 10 | |
| 23 | 0 | 5 | 3 | 11 | 4 | |
| 3 | 0 | 0 | 0 | 2 | 1 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 22 | 0 | 5 | 2 | 13 | 2 | |
| 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 0 | 0 | 4 | 1 | 0 | |
| 4 | 0 | 0 | 0 | 3 | 1 | |
| 456 | 6 | 90 | 90 | 197 | 73 | |

| Alprazolam Present (Non-Lethal) | | | | | | |
|---------------------------------|----------|------------|------------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 | |
| 23 | 0 | 3 | 3 | 12 | 5 | |
| 10 | 0 | 2 | 2 | 2 | 4 | |
| 4 | 0 | 0 | 2 | 1 | 1 | |
| 61 | 1 | 17 | 11 | 20 | 12 | |
| 14 | 0 | 3 | 2 | 7 | 2 | |
| 84 | 1 | 14 | 18 | 31 | 20 | |
| 35 | 0 | 5 | 6 | 15 | 9 | |
| 16 | 0 | 2 | 1 | 9 | 4 | |
| 24 | 0 | 6 | 2 | 11 | 5 | |
| 44 | 1 | 6 | 6 | 16 | 15 | |
| 42 | 1 | 2 | 7 | 14 | 18 | |
| 17 | 0 | 1 | 4 | 7 | 5 | |
| 28 | 1 | 2 | 3 | 8 | 14 | |
| 36 | 0 | 8 | 2 | 19 | 7 | |
| 70 | 1 | 10 | 24 | 21 | 14 | |
| 5 | 0 | 1 | 0 | 2 | 2 | |
| 47 | 0 | 9 | 11 | 22 | 5 | |
| 14 | 0 | 1 | 1 | 5 | 7 | |
| 27 | 0 | 7 | 3 | 8 | 9 | |
| 15 | 0 | 5 | 1 | 7 | 2 | |
| 16 | 0 | 2 | 2 | 11 | 1 | |
| 12 | 0 | 2 | 2 | 3 | 5 | |
| 7 | 0 | 2 | 3 | 1 | 1 | |
| 10 | 0 | 2 | 0 | 5 | 3 | |
| 661 | 6 | 112 | 116 | 257 | 170 | |

Table 5

Diazepam Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Diazepam | | | Deaths with Diazepam Only | | | Deaths with Diazepam in Combination with Other Drugs | | |
|--|-----------------|----------------------------|------------|------------|---------------------------|----------|-----------|---|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 3 | 2 | 1 | 0 | 0 | 0 | 3 | 2 | 1 |
| 2 | Tallahassee | 4 | 2 | 2 | 0 | 0 | 0 | 4 | 2 | 2 |
| 3 | Live Oak | 9 | 2 | 7 | 0 | 0 | 0 | 9 | 2 | 7 |
| 4 | Jacksonville | 63 | 21 | 42 | 4 | 0 | 4 | 59 | 21 | 38 |
| 5 | Leesburg | 14 | 0 | 14 | 0 | 0 | 0 | 14 | 0 | 14 |
| 6 | St. Petersburg | 92 | 10 | 82 | 4 | 0 | 4 | 88 | 10 | 78 |
| 7 | Daytona Beach | 29 | 3 | 26 | 2 | 0 | 2 | 27 | 3 | 24 |
| 8 | Gainesville | 11 | 2 | 9 | 0 | 0 | 0 | 11 | 2 | 9 |
| 9 | Orlando | 36 | 12 | 24 | 0 | 0 | 0 | 36 | 12 | 24 |
| 10 | Lakeland | 19 | 0 | 19 | 1 | 0 | 1 | 18 | 0 | 18 |
| 11 | Miami | 33 | 4 | 29 | 7 | 0 | 7 | 26 | 4 | 22 |
| 12 | Sarasota | 30 | 14 | 16 | 3 | 0 | 3 | 27 | 14 | 13 |
| 13 | Tampa | 20 | 6 | 14 | 4 | 1 | 3 | 16 | 5 | 11 |
| 14 | Panama City | 25 | 2 | 23 | 1 | 0 | 1 | 24 | 2 | 22 |
| 15 | West Palm Bch | 57 | 10 | 47 | 5 | 0 | 5 | 52 | 10 | 42 |
| 16 | Florida Keys | 9 | 3 | 6 | 0 | 0 | 0 | 9 | 3 | 6 |
| 17 | Ft. Lauderdale | 53 | 13 | 40 | 4 | 0 | 4 | 49 | 13 | 36 |
| 18 | Melbourne | 27 | 19 | 8 | 2 | 0 | 2 | 25 | 19 | 6 |
| 19 | Ft. Pierce | 24 | 1 | 23 | 2 | 0 | 2 | 22 | 1 | 21 |
| 20 | Naples | 12 | 0 | 12 | 1 | 0 | 1 | 11 | 0 | 11 |
| 21 | Ft. Myers | 26 | 7 | 19 | 1 | 0 | 1 | 25 | 7 | 18 |
| 22 | Port Charlotte | 7 | 1 | 6 | 1 | 0 | 1 | 6 | 1 | 5 |
| 23 | St. Augustine | 10 | 3 | 7 | 0 | 0 | 0 | 10 | 3 | 7 |
| 24 | Sanford | 4 | 1 | 3 | 0 | 0 | 0 | 4 | 1 | 3 |
| Statewide Totals | | 617 | 138 | 479 | 42 | 1 | 41 | 575 | 137 | 438 |

Table 6

Diazepam Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 3 |
| 2 | Tallahassee | 4 |
| 3 | Live Oak | 9 |
| 4 | Jacksonville | 63 |
| 5 | Leesburg | 14 |
| 6 | St. Petersburg | 92 |
| 7 | Daytona Beach | 29 |
| 8 | Gainesville | 11 |
| 9 | Orlando | 36 |
| 10 | Lakeland | 19 |
| 11 | Miami | 33 |
| 12 | Sarasota | 30 |
| 13 | Tampa | 20 |
| 14 | Panama City | 25 |
| 15 | West Palm Bch | 57 |
| 16 | Florida Keys | 9 |
| 17 | Ft. Lauderdale | 53 |
| 18 | Melbourne | 27 |
| 19 | Ft. Pierce | 24 |
| 20 | Naples | 12 |
| 21 | Ft. Myers | 26 |
| 22 | Port Charlotte | 7 |
| 23 | St. Augustine | 10 |
| 24 | Sanford | 4 |
| Statewide Totals | | 617 |

| Diazepam Found at Lethal Levels | | | | | |
|---------------------------------|----------|-----------|-----------|-----------|-----------|
| Age of Decedent | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 2 | 0 | 0 | 1 | 0 | 1 |
| 2 | 0 | 0 | 1 | 1 | 0 |
| 21 | 0 | 1 | 4 | 10 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 0 | 1 | 1 | 5 | 3 |
| 3 | 0 | 0 | 1 | 1 | 1 |
| 2 | 0 | 0 | 0 | 2 | 0 |
| 12 | 0 | 1 | 1 | 5 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 1 | 1 | 2 | 0 |
| 14 | 0 | 1 | 2 | 9 | 2 |
| 6 | 0 | 0 | 0 | 1 | 5 |
| 2 | 0 | 0 | 0 | 2 | 0 |
| 10 | 0 | 2 | 2 | 4 | 2 |
| 3 | 0 | 2 | 0 | 1 | 0 |
| 13 | 0 | 1 | 0 | 6 | 6 |
| 19 | 0 | 1 | 1 | 13 | 4 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 1 | 2 | 2 | 2 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 3 | 0 | 0 | 1 | 2 | 0 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 138 | 0 | 12 | 18 | 69 | 39 |

| Diazepam Present (Non-Lethal) | | | | | |
|-------------------------------|----------|-----------|-----------|------------|------------|
| Age of Decedent | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 7 | 0 | 0 | 2 | 3 | 2 |
| 42 | 0 | 3 | 3 | 14 | 22 |
| 14 | 0 | 2 | 1 | 4 | 7 |
| 82 | 0 | 6 | 11 | 37 | 28 |
| 26 | 1 | 2 | 4 | 11 | 8 |
| 9 | 0 | 1 | 2 | 5 | 1 |
| 24 | 0 | 1 | 5 | 10 | 8 |
| 19 | 0 | 1 | 0 | 9 | 9 |
| 29 | 1 | 1 | 1 | 7 | 19 |
| 16 | 0 | 1 | 2 | 5 | 8 |
| 14 | 0 | 1 | 2 | 4 | 7 |
| 23 | 2 | 2 | 0 | 12 | 7 |
| 47 | 0 | 0 | 6 | 16 | 25 |
| 6 | 0 | 0 | 2 | 2 | 2 |
| 40 | 0 | 2 | 10 | 15 | 13 |
| 8 | 0 | 0 | 0 | 3 | 5 |
| 23 | 0 | 3 | 3 | 6 | 11 |
| 12 | 0 | 0 | 0 | 7 | 5 |
| 19 | 0 | 1 | 1 | 11 | 6 |
| 6 | 0 | 0 | 1 | 1 | 4 |
| 7 | 0 | 0 | 1 | 4 | 2 |
| 3 | 0 | 0 | 1 | 1 | 1 |
| 479 | 4 | 27 | 59 | 188 | 201 |

Table 7

Oxycodone Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Oxycodone | | | Deaths with Oxycodone Only | | | Deaths with Oxycodone in Combination with Other Drugs | | |
|---|-----------------|-----------------------------|------------|------------|----------------------------|-----------|-----------|---|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 22 | 17 | 5 | 2 | 1 | 1 | 20 | 16 | 4 |
| 2 | Tallahassee | 7 | 1 | 6 | 0 | 0 | 0 | 7 | 1 | 6 |
| 3 | Live Oak | 5 | 3 | 2 | 0 | 0 | 0 | 5 | 3 | 2 |
| 4 | Jacksonville | 71 | 42 | 29 | 5 | 1 | 4 | 66 | 41 | 25 |
| 5 | Leesburg | 14 | 8 | 6 | 0 | 0 | 0 | 14 | 8 | 6 |
| 6 | St. Petersburg | 152 | 96 | 56 | 11 | 4 | 7 | 141 | 92 | 49 |
| 7 | Daytona Beach | 25 | 9 | 16 | 1 | 0 | 1 | 24 | 9 | 15 |
| 8 | Gainesville | 10 | 4 | 6 | 2 | 0 | 2 | 8 | 4 | 4 |
| 9 | Orlando | 63 | 28 | 35 | 7 | 2 | 5 | 56 | 26 | 30 |
| 10 | Lakeland | 17 | 5 | 12 | 4 | 1 | 3 | 13 | 4 | 9 |
| 11 | Miami | 23 | 8 | 15 | 5 | 1 | 4 | 18 | 7 | 11 |
| 12 | Sarasota | 46 | 26 | 20 | 9 | 5 | 4 | 37 | 21 | 16 |
| 13 | Tampa | 60 | 30 | 30 | 9 | 2 | 7 | 51 | 28 | 23 |
| 14 | Panama City | 15 | 5 | 10 | 2 | 0 | 2 | 13 | 5 | 8 |
| 15 | West Palm Bch | 111 | 71 | 40 | 11 | 6 | 5 | 100 | 65 | 35 |
| 16 | Florida Keys | 9 | 6 | 3 | 1 | 1 | 0 | 8 | 5 | 3 |
| 17 | Ft. Lauderdale | 71 | 49 | 22 | 5 | 4 | 1 | 66 | 45 | 21 |
| 18 | Melbourne | 51 | 24 | 27 | 7 | 2 | 5 | 44 | 22 | 22 |
| 19 | Ft. Pierce | 43 | 23 | 20 | 4 | 2 | 2 | 39 | 21 | 18 |
| 20 | Naples | 20 | 1 | 19 | 0 | 0 | 0 | 20 | 1 | 19 |
| 21 | Ft. Myers | 42 | 20 | 22 | 5 | 1 | 4 | 37 | 19 | 18 |
| 22 | Port Charlotte | 24 | 5 | 19 | 3 | 0 | 3 | 21 | 5 | 16 |
| 23 | St. Augustine | 11 | 8 | 3 | 2 | 1 | 1 | 9 | 7 | 2 |
| 24 | Sanford | 11 | 7 | 4 | 4 | 4 | 0 | 7 | 3 | 4 |
| Statewide Totals | | 923 | 496 | 427 | 99 | 38 | 61 | 824 | 458 | 366 |

Table 8

Oxycodone Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 22 |
| 2 | Tallahassee | 7 |
| 3 | Live Oak | 5 |
| 4 | Jacksonville | 71 |
| 5 | Leesburg | 14 |
| 6 | St. Petersburg | 152 |
| 7 | Daytona Beach | 25 |
| 8 | Gainesville | 10 |
| 9 | Orlando | 63 |
| 10 | Lakeland | 17 |
| 11 | Miami | 23 |
| 12 | Sarasota | 46 |
| 13 | Tampa | 60 |
| 14 | Panama City | 15 |
| 15 | West Palm Bch | 111 |
| 16 | Florida Keys | 9 |
| 17 | Ft. Lauderdale | 71 |
| 18 | Melbourne | 51 |
| 19 | Ft. Pierce | 43 |
| 20 | Naples | 20 |
| 21 | Ft. Myers | 42 |
| 22 | Port Charlotte | 24 |
| 23 | St. Augustine | 11 |
| 24 | Sanford | 11 |
| Statewide Totals | | 923 |

| Oxycodone Found at Lethal Levels | | | | | | |
|----------------------------------|----------|-----------|-----------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 | |
| 17 | 0 | 1 | 1 | 10 | 5 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 3 | 0 | 0 | 1 | 2 | 0 | |
| 42 | 0 | 4 | 12 | 18 | 8 | |
| 8 | 0 | 1 | 2 | 3 | 2 | |
| 96 | 1 | 15 | 22 | 36 | 22 | |
| 9 | 0 | 2 | 0 | 2 | 5 | |
| 4 | 0 | 1 | 1 | 2 | 0 | |
| 28 | 1 | 4 | 4 | 13 | 6 | |
| 5 | 0 | 0 | 0 | 3 | 2 | |
| 8 | 0 | 1 | 4 | 0 | 3 | |
| 26 | 0 | 5 | 2 | 13 | 6 | |
| 30 | 1 | 3 | 5 | 12 | 9 | |
| 5 | 0 | 1 | 0 | 3 | 1 | |
| 71 | 1 | 10 | 13 | 32 | 15 | |
| 6 | 0 | 2 | 0 | 3 | 1 | |
| 49 | 1 | 8 | 11 | 18 | 11 | |
| 24 | 0 | 2 | 1 | 16 | 5 | |
| 23 | 0 | 5 | 4 | 7 | 7 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 20 | 0 | 3 | 4 | 9 | 4 | |
| 5 | 0 | 1 | 1 | 2 | 1 | |
| 8 | 0 | 1 | 4 | 3 | 0 | |
| 7 | 0 | 1 | 0 | 3 | 3 | |
| 496 | 5 | 71 | 92 | 211 | 117 | |

| Oxycodone Present (Non-Lethal) | | | | | | |
|--------------------------------|----------|-----------|-----------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 | |
| 5 | 0 | 1 | 1 | 3 | 0 | |
| 6 | 0 | 0 | 1 | 2 | 3 | |
| 2 | 0 | 0 | 0 | 2 | 0 | |
| 29 | 0 | 4 | 3 | 10 | 12 | |
| 6 | 0 | 1 | 0 | 3 | 2 | |
| 56 | 0 | 10 | 8 | 19 | 19 | |
| 16 | 0 | 2 | 0 | 5 | 9 | |
| 6 | 0 | 0 | 0 | 3 | 3 | |
| 35 | 0 | 4 | 2 | 10 | 19 | |
| 12 | 0 | 2 | 1 | 3 | 6 | |
| 15 | 0 | 2 | 1 | 7 | 5 | |
| 20 | 0 | 0 | 2 | 8 | 10 | |
| 30 | 0 | 1 | 4 | 8 | 17 | |
| 10 | 1 | 0 | 1 | 5 | 3 | |
| 40 | 0 | 3 | 8 | 11 | 18 | |
| 3 | 0 | 0 | 0 | 1 | 2 | |
| 22 | 0 | 2 | 5 | 9 | 6 | |
| 27 | 0 | 2 | 1 | 6 | 18 | |
| 20 | 0 | 3 | 1 | 8 | 8 | |
| 19 | 0 | 0 | 4 | 10 | 5 | |
| 22 | 0 | 4 | 3 | 10 | 5 | |
| 19 | 0 | 3 | 3 | 8 | 5 | |
| 3 | 0 | 0 | 0 | 1 | 2 | |
| 4 | 0 | 2 | 0 | 1 | 1 | |
| 427 | 1 | 46 | 49 | 153 | 178 | |

Table 9

Hydrocodone Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Hydrocodone | | | Deaths with Hydrocodone Only | | | Deaths with Hydrocodone in Combination with Other Drugs | | |
|--|-----------------|--|------------|------------|---|-----------|-----------|--|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 35 | 11 | 24 | 2 | 0 | 2 | 33 | 11 | 22 |
| 2 | Tallahassee | 12 | 3 | 9 | 1 | 0 | 1 | 11 | 3 | 8 |
| 3 | Live Oak | 13 | 3 | 10 | 2 | 0 | 2 | 11 | 3 | 8 |
| 4 | Jacksonville | 102 | 38 | 64 | 6 | 1 | 5 | 96 | 37 | 59 |
| 5 | Leesburg | 20 | 9 | 11 | 5 | 2 | 3 | 15 | 7 | 8 |
| 6 | St. Petersburg | 99 | 33 | 66 | 13 | 6 | 7 | 86 | 27 | 59 |
| 7 | Daytona Beach | 43 | 15 | 28 | 5 | 3 | 2 | 38 | 12 | 26 |
| 8 | Gainesville | 16 | 4 | 12 | 3 | 1 | 2 | 13 | 3 | 10 |
| 9 | Orlando | 60 | 21 | 39 | 15 | 1 | 14 | 45 | 20 | 25 |
| 10 | Lakeland | 18 | 0 | 18 | 2 | 0 | 2 | 16 | 0 | 16 |
| 11 | Miami | 14 | 5 | 9 | 2 | 1 | 1 | 12 | 4 | 8 |
| 12 | Sarasota | 27 | 7 | 20 | 5 | 1 | 4 | 22 | 6 | 16 |
| 13 | Tampa | 50 | 18 | 32 | 13 | 3 | 10 | 37 | 15 | 22 |
| 14 | Panama City | 33 | 12 | 21 | 2 | 0 | 2 | 31 | 12 | 19 |
| 15 | West Palm Bch | 36 | 11 | 25 | 5 | 1 | 4 | 31 | 10 | 21 |
| 16 | Florida Keys | 8 | 2 | 6 | 0 | 0 | 0 | 8 | 2 | 6 |
| 17 | Ft. Lauderdale | 22 | 8 | 14 | 4 | 0 | 4 | 18 | 8 | 10 |
| 18 | Melbourne | 35 | 15 | 20 | 9 | 1 | 8 | 26 | 14 | 12 |
| 19 | Ft. Pierce | 26 | 4 | 22 | 6 | 0 | 6 | 20 | 4 | 16 |
| 20 | Naples | 15 | 5 | 10 | 0 | 0 | 0 | 15 | 5 | 10 |
| 21 | Ft. Myers | 30 | 9 | 21 | 7 | 1 | 6 | 23 | 8 | 15 |
| 22 | Port Charlotte | 9 | 2 | 7 | 0 | 0 | 0 | 9 | 2 | 7 |
| 23 | St. Augustine | 3 | 1 | 2 | 0 | 0 | 0 | 3 | 1 | 2 |
| 24 | Sanford | 5 | 0 | 5 | 2 | 0 | 2 | 3 | 0 | 3 |
| Statewide Totals | | 731 | 236 | 495 | 109 | 22 | 87 | 622 | 214 | 408 |

Table 10

Hydrocodone Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 35 |
| 2 | Tallahassee | 12 |
| 3 | Live Oak | 13 |
| 4 | Jacksonville | 102 |
| 5 | Leesburg | 20 |
| 6 | St. Petersburg | 99 |
| 7 | Daytona Beach | 43 |
| 8 | Gainesville | 16 |
| 9 | Orlando | 60 |
| 10 | Lakeland | 18 |
| 11 | Miami | 14 |
| 12 | Sarasota | 27 |
| 13 | Tampa | 50 |
| 14 | Panama City | 33 |
| 15 | West Palm Bch | 36 |
| 16 | Florida Keys | 8 |
| 17 | Ft. Lauderdale | 22 |
| 18 | Melbourne | 35 |
| 19 | Ft. Pierce | 26 |
| 20 | Naples | 15 |
| 21 | Ft. Myers | 30 |
| 22 | Port Charlotte | 9 |
| 23 | St. Augustine | 3 |
| 24 | Sanford | 5 |
| Statewide Totals | | 731 |

| Hydrocodone Found at Lethal Levels | | | | | |
|------------------------------------|----------|-----------|-----------|------------|-----------|
| Age of Decedent | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 |
| 11 | 1 | 1 | 1 | 4 | 4 |
| 3 | 0 | 0 | 1 | 2 | 0 |
| 3 | 0 | 0 | 0 | 1 | 2 |
| 38 | 0 | 4 | 10 | 14 | 10 |
| 9 | 0 | 0 | 1 | 5 | 3 |
| 33 | 1 | 2 | 4 | 14 | 12 |
| 15 | 0 | 2 | 2 | 7 | 4 |
| 4 | 0 | 0 | 0 | 2 | 2 |
| 21 | 0 | 1 | 9 | 7 | 4 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 0 | 0 | 0 | 3 | 2 |
| 7 | 0 | 1 | 1 | 4 | 1 |
| 18 | 0 | 4 | 5 | 2 | 7 |
| 12 | 0 | 0 | 1 | 10 | 1 |
| 11 | 1 | 0 | 0 | 6 | 4 |
| 2 | 0 | 0 | 1 | 1 | 0 |
| 8 | 0 | 0 | 1 | 6 | 1 |
| 15 | 0 | 3 | 2 | 3 | 7 |
| 4 | 0 | 0 | 1 | 1 | 2 |
| 5 | 0 | 0 | 0 | 3 | 2 |
| 9 | 0 | 0 | 0 | 6 | 3 |
| 2 | 0 | 0 | 0 | 0 | 2 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 236 | 3 | 18 | 41 | 101 | 73 |

| Hydrocodone Present (Non-Lethal) | | | | | |
|----------------------------------|----------|-----------|-----------|------------|------------|
| Age of Decedent | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 |
| 24 | 0 | 4 | 2 | 13 | 5 |
| 9 | 0 | 0 | 1 | 3 | 5 |
| 10 | 0 | 0 | 1 | 6 | 3 |
| 64 | 0 | 10 | 12 | 21 | 21 |
| 11 | 0 | 1 | 0 | 5 | 5 |
| 66 | 1 | 13 | 9 | 21 | 22 |
| 28 | 0 | 1 | 4 | 13 | 10 |
| 12 | 0 | 1 | 2 | 5 | 4 |
| 39 | 1 | 7 | 3 | 13 | 15 |
| 18 | 0 | 0 | 2 | 11 | 5 |
| 9 | 0 | 0 | 0 | 2 | 7 |
| 20 | 0 | 2 | 1 | 4 | 13 |
| 32 | 0 | 1 | 3 | 11 | 17 |
| 21 | 1 | 5 | 2 | 5 | 8 |
| 25 | 0 | 2 | 2 | 9 | 12 |
| 6 | 0 | 0 | 0 | 2 | 4 |
| 14 | 0 | 0 | 2 | 7 | 5 |
| 20 | 1 | 4 | 0 | 6 | 9 |
| 22 | 0 | 1 | 2 | 7 | 12 |
| 10 | 0 | 1 | 1 | 5 | 3 |
| 21 | 0 | 2 | 0 | 11 | 8 |
| 7 | 0 | 0 | 1 | 3 | 3 |
| 2 | 0 | 0 | 0 | 0 | 2 |
| 5 | 0 | 0 | 0 | 1 | 4 |
| 495 | 4 | 55 | 50 | 184 | 202 |

Table 11

Methadone Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Methadone | | | Deaths with Methadone Only | | | Deaths with Methadone in Combination with Other Drugs | | |
|--|-----------------|------------------------------------|------------|------------|-----------------------------------|-----------|-----------|--|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 76 | 67 | 9 | 6 | 3 | 3 | 70 | 64 | 6 |
| 2 | Tallahassee | 6 | 6 | 0 | 1 | 1 | 0 | 5 | 5 | 0 |
| 3 | Live Oak | 9 | 6 | 3 | 1 | 0 | 1 | 8 | 6 | 2 |
| 4 | Jacksonville | 95 | 65 | 30 | 7 | 3 | 4 | 88 | 62 | 26 |
| 5 | Leesburg | 24 | 21 | 3 | 7 | 7 | 0 | 17 | 14 | 3 |
| 6 | St. Petersburg | 120 | 101 | 19 | 9 | 6 | 3 | 111 | 95 | 16 |
| 7 | Daytona Beach | 26 | 6 | 20 | 1 | 0 | 1 | 25 | 6 | 19 |
| 8 | Gainesville | 21 | 15 | 6 | 1 | 1 | 0 | 20 | 14 | 6 |
| 9 | Orlando | 41 | 32 | 9 | 1 | 1 | 0 | 40 | 31 | 9 |
| 10 | Lakeland | 21 | 12 | 9 | 2 | 1 | 1 | 19 | 11 | 8 |
| 11 | Miami | 13 | 10 | 3 | 0 | 0 | 0 | 13 | 10 | 3 |
| 12 | Sarasota | 65 | 53 | 12 | 12 | 10 | 2 | 53 | 43 | 10 |
| 13 | Tampa | 62 | 49 | 13 | 13 | 10 | 3 | 49 | 39 | 10 |
| 14 | Panama City | 23 | 17 | 6 | 2 | 0 | 2 | 21 | 17 | 4 |
| 15 | West Palm Bch | 101 | 79 | 22 | 11 | 9 | 2 | 90 | 70 | 20 |
| 16 | Florida Keys | 3 | 2 | 1 | 0 | 0 | 0 | 3 | 2 | 1 |
| 17 | Ft. Lauderdale | 62 | 36 | 26 | 8 | 2 | 6 | 54 | 34 | 20 |
| 18 | Melbourne | 55 | 43 | 12 | 3 | 1 | 2 | 52 | 42 | 10 |
| 19 | Ft. Pierce | 30 | 23 | 7 | 4 | 4 | 0 | 26 | 19 | 7 |
| 20 | Naples | 36 | 21 | 15 | 3 | 3 | 0 | 33 | 18 | 15 |
| 21 | Ft. Myers | 50 | 31 | 19 | 6 | 3 | 3 | 44 | 28 | 16 |
| 22 | Port Charlotte | 13 | 4 | 9 | 0 | 0 | 0 | 13 | 4 | 9 |
| 23 | St. Augustine | 12 | 11 | 1 | 2 | 2 | 0 | 10 | 9 | 1 |
| 24 | Sanford | 10 | 6 | 4 | 0 | 0 | 0 | 10 | 6 | 4 |
| Statewide Totals | | 974 | 716 | 258 | 100 | 67 | 33 | 874 | 649 | 225 |

Table 12

Methadone Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 76 |
| 2 | Tallahassee | 6 |
| 3 | Live Oak | 9 |
| 4 | Jacksonville | 95 |
| 5 | Leesburg | 24 |
| 6 | St. Petersburg | 120 |
| 7 | Daytona Beach | 26 |
| 8 | Gainesville | 21 |
| 9 | Orlando | 41 |
| 10 | Lakeland | 21 |
| 11 | Miami | 13 |
| 12 | Sarasota | 65 |
| 13 | Tampa | 62 |
| 14 | Panama City | 23 |
| 15 | West Palm Bch | 101 |
| 16 | Florida Keys | 3 |
| 17 | Ft. Lauderdale | 62 |
| 18 | Melbourne | 55 |
| 19 | Ft. Pierce | 30 |
| 20 | Naples | 36 |
| 21 | Ft. Myers | 50 |
| 22 | Port Charlotte | 13 |
| 23 | St. Augustine | 12 |
| 24 | Sanford | 10 |
| Statewide Totals | | 974 |

| Methadone Found at Lethal Levels | | | | | | |
|----------------------------------|-----------|------------|------------|------------|-----------|--|
| Age of Decedent | | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 | |
| 67 | 2 | 10 | 10 | 36 | 9 | |
| 6 | 0 | 1 | 2 | 1 | 2 | |
| 6 | 0 | 0 | 4 | 2 | 0 | |
| 65 | 0 | 14 | 22 | 23 | 6 | |
| 21 | 0 | 3 | 5 | 8 | 5 | |
| 101 | 1 | 16 | 17 | 45 | 22 | |
| 6 | 0 | 0 | 2 | 3 | 1 | |
| 15 | 0 | 1 | 5 | 9 | 0 | |
| 32 | 2 | 5 | 9 | 10 | 6 | |
| 12 | 0 | 1 | 0 | 8 | 3 | |
| 10 | 1 | 2 | 1 | 4 | 2 | |
| 53 | 1 | 14 | 16 | 15 | 7 | |
| 49 | 0 | 8 | 12 | 23 | 6 | |
| 17 | 0 | 3 | 3 | 9 | 2 | |
| 79 | 3 | 16 | 21 | 32 | 7 | |
| 2 | 0 | 2 | 0 | 0 | 0 | |
| 36 | 0 | 12 | 6 | 15 | 3 | |
| 43 | 1 | 11 | 7 | 15 | 9 | |
| 23 | 0 | 5 | 6 | 10 | 2 | |
| 21 | 1 | 6 | 3 | 7 | 4 | |
| 31 | 0 | 16 | 6 | 8 | 1 | |
| 4 | 0 | 2 | 1 | 1 | 0 | |
| 11 | 0 | 2 | 6 | 2 | 1 | |
| 6 | 0 | 1 | 1 | 3 | 1 | |
| 716 | 12 | 151 | 165 | 289 | 99 | |

| Methadone Present (Non-Lethal) | | | | | | |
|--------------------------------|----------|-----------|-----------|------------|-----------|--|
| Age of Decedent | | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 | |
| 9 | 1 | 4 | 2 | 2 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 0 | 0 | 0 | 2 | 1 | |
| 30 | 0 | 5 | 5 | 12 | 8 | |
| 3 | 0 | 0 | 0 | 2 | 1 | |
| 19 | 1 | 0 | 3 | 5 | 10 | |
| 20 | 0 | 5 | 3 | 8 | 4 | |
| 6 | 0 | 2 | 0 | 4 | 0 | |
| 9 | 0 | 0 | 1 | 4 | 4 | |
| 9 | 0 | 3 | 1 | 3 | 2 | |
| 3 | 0 | 0 | 0 | 3 | 0 | |
| 12 | 0 | 0 | 2 | 4 | 6 | |
| 13 | 1 | 2 | 0 | 4 | 6 | |
| 6 | 0 | 3 | 0 | 1 | 2 | |
| 22 | 0 | 2 | 6 | 12 | 2 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 26 | 0 | 3 | 5 | 10 | 8 | |
| 12 | 0 | 2 | 1 | 3 | 6 | |
| 7 | 0 | 2 | 0 | 3 | 2 | |
| 15 | 0 | 1 | 4 | 9 | 1 | |
| 19 | 0 | 1 | 3 | 12 | 3 | |
| 9 | 0 | 3 | 1 | 3 | 2 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 4 | 1 | 1 | 0 | 2 | 0 | |
| 258 | 4 | 39 | 37 | 109 | 69 | |

Table 13

Morphine Deaths January – December 2005

| Medical Examiner District & Area of Florida | | Total Deaths with Morphine | | | Deaths with Morphine Only | | | Deaths with Morphine in Combination with Other Drugs | | |
|--|-----------------|-----------------------------------|------------|------------|----------------------------------|-----------|------------|---|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 17 | 7 | 10 | 2 | 1 | 1 | 15 | 6 | 9 |
| 2 | Tallahassee | 23 | 4 | 19 | 4 | 0 | 4 | 19 | 4 | 15 |
| 3 | Live Oak | 3 | 2 | 1 | 1 | 0 | 1 | 2 | 2 | 0 |
| 4 | Jacksonville | 44 | 16 | 28 | 7 | 1 | 6 | 37 | 15 | 22 |
| 5 | Leesburg | 8 | 7 | 1 | 3 | 2 | 1 | 5 | 5 | 0 |
| 6 | St. Petersburg | 46 | 34 | 12 | 0 | 0 | 0 | 46 | 34 | 12 |
| 7 | Daytona Beach | 27 | 13 | 14 | 4 | 0 | 4 | 23 | 13 | 10 |
| 8 | Gainesville | 22 | 4 | 18 | 9 | 0 | 9 | 13 | 4 | 9 |
| 9 | Orlando | 46 | 17 | 29 | 9 | 2 | 7 | 37 | 15 | 22 |
| 10 | Lakeland | 36 | 6 | 30 | 9 | 2 | 7 | 27 | 4 | 23 |
| 11 | Miami | 30 | 8 | 22 | 8 | 1 | 7 | 22 | 7 | 15 |
| 12 | Sarasota | 25 | 11 | 14 | 10 | 1 | 9 | 15 | 10 | 5 |
| 13 | Tampa | 72 | 22 | 50 | 38 | 5 | 33 | 34 | 17 | 17 |
| 14 | Panama City | 4 | 3 | 1 | 0 | 0 | 0 | 4 | 3 | 1 |
| 15 | West Palm Bch | 51 | 20 | 31 | 13 | 2 | 11 | 38 | 18 | 20 |
| 16 | Florida Keys | 4 | 1 | 3 | 2 | 1 | 1 | 2 | 0 | 2 |
| 17 | Ft. Lauderdale | 25 | 10 | 15 | 7 | 0 | 7 | 18 | 10 | 8 |
| 18 | Melbourne | 42 | 21 | 21 | 15 | 4 | 11 | 27 | 17 | 10 |
| 19 | Ft. Pierce | 15 | 8 | 7 | 5 | 2 | 3 | 10 | 6 | 4 |
| 20 | Naples | 14 | 2 | 12 | 1 | 0 | 1 | 13 | 2 | 11 |
| 21 | Ft. Myers | 27 | 8 | 19 | 4 | 1 | 3 | 23 | 7 | 16 |
| 22 | Port Charlotte | 8 | 1 | 7 | 2 | 0 | 2 | 6 | 1 | 5 |
| 23 | St. Augustine | 2 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 1 |
| 24 | Sanford | 10 | 3 | 7 | 2 | 1 | 1 | 8 | 2 | 6 |
| Statewide Totals | | 601 | 229 | 372 | 156 | 27 | 129 | 445 | 202 | 243 |

Table 14

Morphine Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 17 |
| 2 | Tallahassee | 23 |
| 3 | Live Oak | 3 |
| 4 | Jacksonville | 44 |
| 5 | Leesburg | 8 |
| 6 | St. Petersburg | 46 |
| 7 | Daytona Beach | 27 |
| 8 | Gainesville | 22 |
| 9 | Orlando | 46 |
| 10 | Lakeland | 36 |
| 11 | Miami | 30 |
| 12 | Sarasota | 25 |
| 13 | Tampa | 72 |
| 14 | Panama City | 4 |
| 15 | West Palm Bch | 51 |
| 16 | Florida Keys | 4 |
| 17 | Ft. Lauderdale | 25 |
| 18 | Melbourne | 42 |
| 19 | Ft. Pierce | 15 |
| 20 | Naples | 14 |
| 21 | Ft. Myers | 27 |
| 22 | Port Charlotte | 8 |
| 23 | St. Augustine | 2 |
| 24 | Sanford | 10 |
| Statewide Totals | | 601 |

| Morphine Found at Lethal Levels | | | | | | |
|---------------------------------|----------|-----------|-----------|------------|-----------|--|
| Age of Decedent | | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 | |
| 7 | 0 | 0 | 0 | 5 | 2 | |
| 4 | 0 | 2 | 1 | 1 | 0 | |
| 2 | 0 | 1 | 0 | 1 | 0 | |
| 16 | 0 | 1 | 1 | 11 | 3 | |
| 7 | 0 | 1 | 1 | 2 | 3 | |
| 34 | 0 | 2 | 3 | 18 | 11 | |
| 13 | 1 | 2 | 1 | 5 | 4 | |
| 4 | 0 | 0 | 0 | 3 | 1 | |
| 17 | 1 | 0 | 2 | 10 | 4 | |
| 6 | 0 | 0 | 1 | 2 | 3 | |
| 8 | 0 | 1 | 1 | 4 | 2 | |
| 11 | 0 | 1 | 0 | 5 | 5 | |
| 22 | 0 | 2 | 3 | 13 | 4 | |
| 3 | 1 | 0 | 1 | 1 | 0 | |
| 20 | 1 | 4 | 3 | 10 | 2 | |
| 1 | 0 | 0 | 1 | 0 | 0 | |
| 10 | 0 | 0 | 3 | 7 | 0 | |
| 21 | 1 | 1 | 2 | 11 | 6 | |
| 8 | 0 | 1 | 0 | 2 | 5 | |
| 2 | 0 | 0 | 0 | 1 | 1 | |
| 8 | 1 | 1 | 1 | 3 | 2 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 3 | 0 | 0 | 0 | 3 | 0 | |
| 229 | 6 | 20 | 25 | 120 | 58 | |

| Morphine Present (Non-Lethal) | | | | | | |
|-------------------------------|----------|-----------|-----------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 | |
| 10 | 1 | 0 | 1 | 4 | 4 | |
| 19 | 1 | 1 | 1 | 7 | 9 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 28 | 0 | 3 | 0 | 9 | 16 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 12 | 0 | 0 | 2 | 6 | 4 | |
| 14 | 1 | 0 | 1 | 5 | 7 | |
| 18 | 0 | 2 | 5 | 6 | 5 | |
| 29 | 1 | 1 | 3 | 9 | 15 | |
| 30 | 0 | 5 | 1 | 15 | 9 | |
| 22 | 0 | 0 | 2 | 9 | 11 | |
| 14 | 0 | 0 | 1 | 4 | 9 | |
| 50 | 0 | 4 | 5 | 18 | 23 | |
| 1 | 0 | 0 | 0 | 1 | 0 | |
| 31 | 2 | 2 | 2 | 6 | 19 | |
| 3 | 0 | 0 | 0 | 2 | 1 | |
| 15 | 0 | 0 | 3 | 4 | 8 | |
| 21 | 0 | 4 | 1 | 2 | 14 | |
| 7 | 0 | 1 | 0 | 0 | 6 | |
| 12 | 0 | 1 | 3 | 3 | 5 | |
| 19 | 0 | 2 | 3 | 6 | 8 | |
| 7 | 0 | 1 | 1 | 2 | 3 | |
| 1 | 0 | 0 | 0 | 0 | 1 | |
| 7 | 0 | 0 | 0 | 4 | 3 | |
| 372 | 6 | 27 | 35 | 122 | 182 | |

Table 15

Propoxyphene Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Propoxyphene | | | Deaths with Propoxyphene Only | | | Deaths with Propoxyphene in Combination with Other Drugs | | |
|--|-----------------|---|-----------|------------|--|----------|-----------|---|-----------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 16 | 3 | 13 | 1 | 0 | 1 | 15 | 3 | 12 |
| 2 | Tallahassee | 3 | 2 | 1 | 0 | 0 | 0 | 3 | 2 | 1 |
| 3 | Live Oak | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| 4 | Jacksonville | 42 | 16 | 26 | 12 | 1 | 11 | 30 | 15 | 15 |
| 5 | Leesburg | 5 | 2 | 3 | 0 | 0 | 0 | 5 | 2 | 3 |
| 6 | St. Petersburg | 49 | 7 | 42 | 13 | 0 | 13 | 36 | 7 | 29 |
| 7 | Daytona Beach | 18 | 6 | 12 | 6 | 0 | 6 | 12 | 6 | 6 |
| 8 | Gainesville | 7 | 1 | 6 | 1 | 0 | 1 | 6 | 1 | 5 |
| 9 | Orlando | 31 | 3 | 28 | 7 | 0 | 7 | 24 | 3 | 21 |
| 10 | Lakeland | 18 | 1 | 17 | 0 | 0 | 0 | 18 | 1 | 17 |
| 11 | Miami | 7 | 1 | 6 | 2 | 0 | 2 | 5 | 1 | 4 |
| 12 | Sarasota | 7 | 0 | 7 | 2 | 0 | 2 | 5 | 0 | 5 |
| 13 | Tampa | 17 | 7 | 10 | 2 | 0 | 2 | 15 | 7 | 8 |
| 14 | Panama City | 10 | 0 | 10 | 2 | 0 | 2 | 8 | 0 | 8 |
| 15 | West Palm Bch | 14 | 1 | 13 | 0 | 0 | 0 | 14 | 1 | 13 |
| 16 | Florida Keys | 5 | 2 | 3 | 1 | 0 | 1 | 4 | 2 | 2 |
| 17 | Ft. Lauderdale | 13 | 4 | 9 | 3 | 1 | 2 | 10 | 3 | 7 |
| 18 | Melbourne | 20 | 7 | 13 | 9 | 2 | 7 | 11 | 5 | 6 |
| 19 | Ft. Pierce | 16 | 2 | 14 | 6 | 0 | 6 | 10 | 2 | 8 |
| 20 | Naples | 5 | 1 | 4 | 1 | 0 | 1 | 4 | 1 | 3 |
| 21 | Ft. Myers | 11 | 2 | 9 | 3 | 0 | 3 | 8 | 2 | 6 |
| 22 | Port Charlotte | 4 | 0 | 4 | 2 | 0 | 2 | 2 | 0 | 2 |
| 23 | St. Augustine | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| 24 | Sanford | 7 | 2 | 5 | 3 | 0 | 3 | 4 | 2 | 2 |
| Statewide Totals | | 328 | 71 | 257 | 77 | 4 | 73 | 251 | 67 | 184 |

Table 16

Propoxyphene Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 16 |
| 2 | Tallahassee | 3 |
| 3 | Live Oak | 2 |
| 4 | Jacksonville | 42 |
| 5 | Leesburg | 5 |
| 6 | St. Petersburg | 49 |
| 7 | Daytona Beach | 18 |
| 8 | Gainesville | 7 |
| 9 | Orlando | 31 |
| 10 | Lakeland | 18 |
| 11 | Miami | 7 |
| 12 | Sarasota | 7 |
| 13 | Tampa | 17 |
| 14 | Panama City | 10 |
| 15 | West Palm Bch | 14 |
| 16 | Florida Keys | 5 |
| 17 | Ft. Lauderdale | 13 |
| 18 | Melbourne | 20 |
| 19 | Ft. Pierce | 16 |
| 20 | Naples | 5 |
| 21 | Ft. Myers | 11 |
| 22 | Port Charlotte | 4 |
| 23 | St. Augustine | 1 |
| 24 | Sanford | 7 |
| Statewide Totals | | 328 |

| Propoxyphene Found at Lethal Levels | | | | | |
|-------------------------------------|----------|----------|----------|-----------|-----------|
| Age of Decedent | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 |
| 3 | 0 | 0 | 1 | 1 | 1 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 16 | 0 | 1 | 1 | 11 | 3 |
| 2 | 0 | 0 | 1 | 0 | 1 |
| 7 | 0 | 1 | 0 | 1 | 5 |
| 6 | 0 | 0 | 1 | 4 | 1 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 3 | 0 | 1 | 0 | 1 | 1 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 5 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 2 | 0 | 2 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 2 | 2 |
| 7 | 0 | 0 | 0 | 4 | 3 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 2 | 0 | 0 | 0 | 2 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 71 | 0 | 5 | 4 | 37 | 25 |

| Propoxyphene Present (Non-Lethal) | | | | | |
|-----------------------------------|----------|-----------|-----------|-----------|------------|
| Age of Decedent | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 |
| 13 | 0 | 1 | 2 | 6 | 4 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 1 | 0 | 0 | 0 | 0 | 1 |
| 26 | 0 | 2 | 3 | 7 | 14 |
| 3 | 0 | 0 | 0 | 1 | 2 |
| 42 | 0 | 4 | 4 | 14 | 20 |
| 12 | 0 | 0 | 1 | 1 | 10 |
| 6 | 0 | 0 | 0 | 2 | 4 |
| 28 | 1 | 0 | 5 | 7 | 15 |
| 17 | 0 | 0 | 0 | 4 | 13 |
| 6 | 0 | 1 | 0 | 2 | 3 |
| 7 | 0 | 1 | 0 | 1 | 5 |
| 10 | 0 | 0 | 0 | 4 | 6 |
| 10 | 0 | 0 | 1 | 7 | 2 |
| 13 | 0 | 2 | 0 | 4 | 7 |
| 3 | 0 | 0 | 0 | 0 | 3 |
| 9 | 0 | 0 | 0 | 3 | 6 |
| 13 | 0 | 0 | 0 | 2 | 11 |
| 14 | 0 | 1 | 0 | 4 | 9 |
| 4 | 0 | 0 | 0 | 1 | 3 |
| 9 | 0 | 0 | 0 | 3 | 6 |
| 4 | 0 | 0 | 0 | 0 | 4 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 5 | 0 | 0 | 0 | 2 | 3 |
| 257 | 1 | 12 | 17 | 75 | 152 |

Table 17

Cocaine Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Cocaine | | | Deaths with Cocaine Only | | | Deaths with Cocaine in Combination with Other Drugs | | |
|--|-----------------|----------------------------------|------------|--------------|---------------------------------|------------|------------|--|------------|------------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 78 | 49 | 29 | 17 | 11 | 6 | 61 | 38 | 23 |
| 2 | Tallahassee | 51 | 9 | 42 | 12 | 3 | 9 | 39 | 6 | 33 |
| 3 | Live Oak | 16 | 3 | 13 | 3 | 0 | 3 | 13 | 3 | 10 |
| 4 | Jacksonville | 246 | 98 | 148 | 58 | 25 | 33 | 188 | 73 | 115 |
| 5 | Leesburg | 21 | 12 | 9 | 5 | 3 | 2 | 16 | 9 | 7 |
| 6 | St. Petersburg | 185 | 104 | 81 | 38 | 18 | 20 | 147 | 86 | 61 |
| 7 | Daytona Beach | 64 | 21 | 43 | 13 | 3 | 10 | 51 | 18 | 33 |
| 8 | Gainesville | 47 | 12 | 35 | 16 | 5 | 11 | 31 | 7 | 24 |
| 9 | Orlando | 178 | 54 | 124 | 47 | 18 | 29 | 131 | 36 | 95 |
| 10 | Lakeland | 53 | 11 | 42 | 11 | 4 | 7 | 42 | 7 | 35 |
| 11 | Miami | 182 | 54 | 128 | 76 | 22 | 54 | 106 | 32 | 74 |
| 12 | Sarasota | 106 | 58 | 48 | 29 | 13 | 16 | 77 | 45 | 32 |
| 13 | Tampa | 130 | 50 | 80 | 57 | 27 | 30 | 73 | 23 | 50 |
| 14 | Panama City | 32 | 8 | 24 | 2 | 0 | 2 | 30 | 8 | 22 |
| 15 | West Palm Bch | 191 | 78 | 113 | 46 | 15 | 31 | 145 | 63 | 82 |
| 16 | Florida Keys | 16 | 6 | 10 | 2 | 0 | 2 | 14 | 6 | 8 |
| 17 | Ft. Lauderdale | 150 | 74 | 76 | 35 | 19 | 16 | 115 | 55 | 60 |
| 18 | Melbourne | 80 | 48 | 32 | 20 | 13 | 7 | 60 | 35 | 25 |
| 19 | Ft. Pierce | 45 | 17 | 28 | 9 | 2 | 7 | 36 | 15 | 21 |
| 20 | Naples | 34 | 9 | 25 | 3 | 1 | 2 | 31 | 8 | 23 |
| 21 | Ft. Myers | 96 | 35 | 61 | 21 | 7 | 14 | 75 | 28 | 47 |
| 22 | Port Charlotte | 14 | 3 | 11 | 4 | 1 | 3 | 10 | 2 | 8 |
| 23 | St. Augustine | 17 | 5 | 12 | 3 | 0 | 3 | 14 | 5 | 9 |
| 24 | Sanford | 20 | 11 | 9 | 5 | 3 | 2 | 15 | 8 | 7 |
| Statewide Totals | | 2,052 | 829 | 1,223 | 532 | 213 | 319 | 1,520 | 616 | 904 |

Table 18

Cocaine Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|--------------|
| District | Area of Florida | Total |
| 1 | Pensacola | 78 |
| 2 | Tallahassee | 51 |
| 3 | Live Oak | 16 |
| 4 | Jacksonville | 246 |
| 5 | Leesburg | 21 |
| 6 | St. Petersburg | 185 |
| 7 | Daytona Beach | 64 |
| 8 | Gainesville | 47 |
| 9 | Orlando | 178 |
| 10 | Lakeland | 53 |
| 11 | Miami | 182 |
| 12 | Sarasota | 106 |
| 13 | Tampa | 130 |
| 14 | Panama City | 32 |
| 15 | West Palm Bch | 191 |
| 16 | Florida Keys | 16 |
| 17 | Ft. Lauderdale | 150 |
| 18 | Melbourne | 80 |
| 19 | Ft. Pierce | 45 |
| 20 | Naples | 34 |
| 21 | Ft. Myers | 96 |
| 22 | Port Charlotte | 14 |
| 23 | St. Augustine | 17 |
| 24 | Sanford | 20 |
| Statewide Totals | | 2,052 |

| Cocaine Found at Lethal Levels | | | | | | |
|--------------------------------|----------|------------|------------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 | |
| 49 | 1 | 2 | 7 | 27 | 12 | |
| 9 | 0 | 0 | 3 | 5 | 1 | |
| 3 | 0 | 1 | 1 | 0 | 1 | |
| 98 | 1 | 15 | 18 | 51 | 13 | |
| 12 | 0 | 3 | 0 | 8 | 1 | |
| 104 | 0 | 11 | 27 | 51 | 15 | |
| 21 | 0 | 1 | 5 | 8 | 7 | |
| 12 | 0 | 4 | 4 | 4 | 0 | |
| 54 | 1 | 7 | 13 | 24 | 9 | |
| 11 | 0 | 0 | 0 | 6 | 5 | |
| 54 | 1 | 10 | 9 | 29 | 5 | |
| 58 | 0 | 13 | 10 | 25 | 10 | |
| 50 | 0 | 0 | 5 | 32 | 13 | |
| 8 | 0 | 1 | 2 | 4 | 1 | |
| 78 | 2 | 11 | 22 | 37 | 6 | |
| 6 | 0 | 2 | 0 | 2 | 2 | |
| 74 | 2 | 12 | 10 | 34 | 16 | |
| 48 | 1 | 8 | 6 | 29 | 4 | |
| 17 | 0 | 7 | 0 | 7 | 3 | |
| 9 | 0 | 2 | 0 | 6 | 1 | |
| 35 | 0 | 7 | 7 | 17 | 4 | |
| 3 | 0 | 1 | 0 | 2 | 0 | |
| 5 | 0 | 1 | 2 | 2 | 0 | |
| 11 | 0 | 1 | 2 | 6 | 2 | |
| 829 | 9 | 120 | 153 | 416 | 131 | |

| Cocaine Present (Non-Lethal) | | | | | | |
|------------------------------|-----------|------------|------------|------------|------------|--|
| Age of Decedent | | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 | |
| 29 | 0 | 5 | 7 | 15 | 2 | |
| 42 | 0 | 6 | 9 | 22 | 5 | |
| 13 | 0 | 2 | 3 | 7 | 1 | |
| 148 | 2 | 35 | 39 | 53 | 19 | |
| 9 | 0 | 4 | 2 | 3 | 0 | |
| 81 | 2 | 13 | 11 | 48 | 7 | |
| 43 | 0 | 5 | 12 | 19 | 7 | |
| 35 | 0 | 3 | 7 | 18 | 7 | |
| 124 | 2 | 17 | 28 | 57 | 20 | |
| 42 | 0 | 12 | 10 | 16 | 4 | |
| 128 | 2 | 24 | 30 | 48 | 24 | |
| 48 | 1 | 4 | 13 | 24 | 6 | |
| 80 | 1 | 10 | 15 | 33 | 21 | |
| 24 | 0 | 5 | 5 | 11 | 3 | |
| 113 | 1 | 27 | 25 | 48 | 12 | |
| 10 | 0 | 0 | 2 | 7 | 1 | |
| 76 | 0 | 14 | 16 | 34 | 12 | |
| 32 | 0 | 4 | 8 | 18 | 2 | |
| 28 | 0 | 6 | 4 | 14 | 4 | |
| 25 | 0 | 7 | 9 | 9 | 0 | |
| 61 | 2 | 11 | 21 | 25 | 2 | |
| 11 | 0 | 2 | 1 | 7 | 1 | |
| 12 | 0 | 6 | 1 | 3 | 2 | |
| 9 | 0 | 0 | 0 | 7 | 2 | |
| 1,223 | 13 | 222 | 278 | 546 | 164 | |

Table 19

15-Years of Cocaine Deaths Reported by Medical Examiners (Both Lethal and Non-Lethal Levels)

| District | Area of Florida | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|------------------------|-----------------|------------|------------|------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 1 | Pensacola | 19 | 14 | 12 | 11 | 24 | 15 | 18 | 22 | 23 | 23 | 37 | 46 | 59 | 69 | 78 |
| 2 | Tallahassee | 17 | 18 | 25 | 21 | 24 | 11 | 29 | 28 | 26 | 28 | 33 | 43 | 38 | 58 | 51 |
| 3 | Live Oak | 4 | 5 | 3 | 8 | 6 | 8 | 8 | 7 | 4 | 8 | 7 | 13 | 22 | 19 | 16 |
| 4 | Jacksonville | 59 | 76 | 60 | 76 | 71 | 81 | 86 | 100 | 101 | 108 | 148 | 184 | 205 | 195 | 246 |
| 5 | Leesburg | 14 | 17 | 21 | 25 | 22 | 27 | 23 | 19 | 35 | 38 | 47 | 56 | 69 | 60 | 21 |
| 6 | St. Petersburg | 24 | 24 | 33 | 55 | 32 | 41 | 52 | 58 | 75 | 81 | 89 | 116 | 150 | 138 | 185 |
| 7 | Daytona Beach | 14 | 19 | 16 | 21 | 12 | 31 | 26 | 8 | 24 | 37 | 35 | 42 | 43 | 77 | 64 |
| 8 | Gainesville | 8 | 14 | 14 | 16 | 18 | 18 | 19 | 15 | 17 | 12 | 15 | 45 | 43 | 48 | 47 |
| 9 | Orlando | 44 | 41 | 49 | 75 | 87 | 93 | 112 | 103 | 109 | 94 | 116 | 124 | 136 | 165 | 178 |
| 10 | Lakeland | 14 | 15 | 25 | 26 | 24 | 24 | 34 | 27 | 21 | 33 | 30 | 43 | 46 | 75 | 53 |
| 11 | Miami | 228 | 285 | 292 | 250 | 330 | 266 | 273 | 226 | 144 | 149 | 151 | 189 | 160 | 162 | 182 |
| 12 | Sarasota | 18 | 24 | 25 | 27 | 23 | 30 | 29 | 26 | 38 | 39 | 46 | 83 | 69 | 83 | 106 |
| 13 | Tampa | 37 | 35 | 56 | 65 | 58 | 83 | 72 | 80 | 52 | 56 | 79 | 81 | 108 | 115 | 130 |
| 14 | Panama City | 3 | 3 | 8 | 4 | 4 | 6 | 20 | 19 | 19 | 20 | 24 | 31 | 22 | 24 | 32 |
| 15 | West Palm Bch | 48 | 38 | 38 | 83 | 72 | 66 | 69 | 73 | 103 | 125 | 113 | 147 | 151 | 197 | 191 |
| 16 | Florida Keys | 11 | 14 | 9 | 9 | 6 | 11 | 12 | 20 | 12 | 14 | 16 | 11 | 10 | 18 | 16 |
| 17 | Ft. Lauderdale | 65 | 109 | 88 | 71 | 83 | 121 | 135 | 139 | 80 | 94 | 121 | 138 | 120 | 136 | 150 |
| 18 | Melbourne | 19 | 11 | 16 | 13 | 26 | 15 | 30 | 23 | 42 | 35 | 48 | 66 | 62 | 84 | 80 |
| 19 | Ft. Pierce | 8 | 18 | 24 | 22 | 22 | 11 | 22 | 21 | 37 | 39 | 33 | 33 | 43 | 58 | 45 |
| 20 | Naples | 4 | 7 | 5 | 10 | 9 | 11 | 8 | 14 | 15 | 17 | 23 | 15 | 21 | 24 | 34 |
| 21 | Ft. Myers | 17 | 16 | 23 | 16 | 32 | 37 | 20 | 27 | 35 | 27 | 55 | 68 | 84 | 78 | 96 |
| 22 | Port Charlotte | 2 | 3 | 0 | 1 | 0 | 3 | 4 | 3 | 6 | 6 | 5 | 3 | 10 | 14 | 14 |
| 23 | St. Augustine | 5 | 8 | 8 | 13 | 11 | 13 | 9 | 4 | 2 | 7 | 23 | 24 | 20 | 24 | 17 |
| 24 | Sanford | 3 | 7 | 14 | 18 | 15 | 17 | 18 | 3 | 14 | 15 | 13 | 13 | 11 | 22 | 20 |
| Statewide Total | | 685 | 821 | 864 | 936 | 1,011 | 1,039 | 1,128 | 1,065 | 1,034 | 1,105 | 1,307 | 1,614 | 1,702 | 1,943 | 2,052 |

Chart 4

Cocaine Deaths by Year (Both Lethal and Non-Lethal Levels) 1992 – 2006




Table 20

Heroin Deaths January – December 2006

| Medical Examiner District & Area of Florida | | Total Deaths with Heroin | | | Deaths with Heroin Only | | | Deaths with Heroin in Combination with Other Drugs | | |
|--|-----------------|---------------------------------|-----------|-----------|--------------------------------|-----------|----------|---|-----------|-----------|
| District | Area of Florida | Total | Cause | Present | Total | Cause | Present | Total | Cause | Present |
| 1 | Pensacola | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 2 | Tallahassee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Live Oak | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Jacksonville | 4 | 4 | 0 | 0 | 0 | 0 | 4 | 4 | 0 |
| 5 | Leesburg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | St. Petersburg | 7 | 6 | 1 | 0 | 0 | 0 | 7 | 6 | 1 |
| 7 | Daytona Beach | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 8 | Gainesville | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Orlando | 7 | 7 | 0 | 0 | 0 | 0 | 7 | 7 | 0 |
| 10 | Lakeland | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 |
| 11 | Miami | 20 | 12 | 8 | 3 | 2 | 1 | 17 | 10 | 7 |
| 12 | Sarasota | 14 | 14 | 0 | 2 | 2 | 0 | 12 | 12 | 0 |
| 13 | Tampa | 7 | 7 | 0 | 3 | 3 | 0 | 4 | 4 | 0 |
| 14 | Panama City | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | West Palm Bch | 8 | 8 | 0 | 0 | 0 | 0 | 8 | 8 | 0 |
| 16 | Florida Keys | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 17 | Ft. Lauderdale | 13 | 11 | 2 | 3 | 3 | 0 | 10 | 8 | 2 |
| 18 | Melbourne | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 19 | Ft. Pierce | 3 | 3 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| 20 | Naples | 4 | 1 | 3 | 0 | 0 | 0 | 4 | 1 | 3 |
| 21 | Ft. Myers | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 1 |
| 22 | Port Charlotte | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| 23 | St. Augustine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24 | Sanford | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Statewide Totals | | 96 | 78 | 18 | 11 | 10 | 1 | 85 | 68 | 17 |

Table 21

Heroin Deaths by Age January – December 2006

| Medical Examiner District and Area of Florida | | |
|---|-----------------|-----------|
| District | Area of Florida | Total |
| 1 | Pensacola | 1 |
| 2 | Tallahassee | 0 |
| 3 | Live Oak | 0 |
| 4 | Jacksonville | 4 |
| 5 | Leesburg | 0 |
| 6 | St. Petersburg | 7 |
| 7 | Daytona Beach | 1 |
| 8 | Gainesville | 0 |
| 9 | Orlando | 7 |
| 10 | Lakeland | 2 |
| 11 | Miami | 20 |
| 12 | Sarasota | 14 |
| 13 | Tampa | 7 |
| 14 | Panama City | 0 |
| 15 | West Palm Bch | 8 |
| 16 | Florida Keys | 1 |
| 17 | Ft. Lauderdale | 13 |
| 18 | Melbourne | 1 |
| 19 | Ft. Pierce | 3 |
| 20 | Naples | 4 |
| 21 | Ft. Myers | 2 |
| 22 | Port Charlotte | 1 |
| 23 | St. Augustine | 0 |
| 24 | Sanford | 0 |
| Statewide Totals | | 96 |

| Heroin Found at Lethal Levels | | | | | |
|-------------------------------|----------|-----------|-----------|-----------|-----------|
| Age of Decedent | | | | | |
| Total | < 18 | 18-25 | 26-34 | 35-50 | >50 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 1 | 3 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 1 | 1 | 2 | 2 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 1 | 4 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 4 | 1 | 5 | 2 |
| 14 | 0 | 4 | 4 | 6 | 0 |
| 7 | 0 | 2 | 2 | 1 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 4 | 0 | 2 | 2 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 11 | 0 | 3 | 3 | 2 | 3 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 3 | 0 | 1 | 1 | 1 | 0 |
| 1 | 0 | 0 | 0 | 1 | 0 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 78 | 0 | 20 | 22 | 23 | 13 |

| Heroin Present (Non-Lethal) | | | | | |
|-----------------------------|----------|----------|----------|----------|----------|
| Age of Decedent | | | | | |
| Total | <18 | 18-25 | 26-34 | 35-50 | >50 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 1 | 1 |
| 8 | 0 | 1 | 1 | 5 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 2 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 1 | 1 | 1 |
| 1 | 0 | 0 | 1 | 0 | 0 |
| 1 | 0 | 1 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | 0 | 2 | 6 | 7 | 3 |

Chart 5

Historical View of Heroin Deaths (Lethal Levels)

| District | Area of Florida | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|-------------------------|-----------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| 1 | Pensacola | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 2 | Tallahassee | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Live Oak | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Jacksonville | 2 | 5 | 0 | 5 | 4 | 10 | 8 | 5 | 4 | 3 | 4 |
| 5 | Leesburg | 0 | 0 | 0 | 2 | 3 | 1 | 4 | 2 | 1 | 0 | 0 |
| 6 | St. Petersburg | 7 | 6 | 10 | 8 | 17 | 24 | 31 | 22 | 14 | 12 | 6 |
| 7 | Daytona Beach | 1 | 4 | 4 | 0 | 6 | 1 | 2 | 2 | 2 | 0 | 1 |
| 8 | Gainesville | 5 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Orlando | 30 | 16 | 36 | 42 | 30 | 34 | 22 | 33 | 20 | 15 | 7 |
| 10 | Lakeland | 0 | 0 | 1 | 3 | 1 | 0 | 2 | 0 | 1 | 2 | 0 |
| 11 | Miami | 31 | 52 | 61 | 48 | 61 | 32 | 36 | 28 | 18 | 19 | 12 |
| 12 | Sarasota | 0 | 0 | 0 | 1 | 7 | 3 | 3 | 18 | 14 | 8 | 14 |
| 13 | Tampa | 3 | 6 | 13 | 19 | 21 | 34 | 33 | 18 | 14 | 6 | 7 |
| 14 | Panama City | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | West Palm Bch | 11 | 11 | 19 | 12 | 15 | 57 | 36 | 27 | 26 | 17 | 8 |
| 16 | Florida Keys | 0 | 0 | 2 | 5 | 0 | 3 | 4 | 0 | 1 | 0 | 1 |
| 17 | Ft. Lauderdale | 14 | 19 | 37 | 35 | 17 | 51 | 38 | 43 | 22 | 17 | 11 |
| 18 | Melbourne | 2 | 4 | 1 | 6 | 5 | 6 | 7 | 8 | 3 | 2 | 1 |
| 19 | Ft. Pierce | 0 | 2 | 3 | 1 | 1 | 3 | 2 | 3 | 3 | 1 | 3 |
| 20 | Naples | 0 | 3 | 4 | 3 | 3 | 3 | 9 | 3 | 0 | 1 | 1 |
| 21 | Ft. Myers | 3 | 6 | 3 | 7 | 10 | 5 | 7 | 12 | 4 | 0 | 1 |
| 22 | Port Charlotte | 1 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 1 | 3 | 0 |
| 23 | St. Augustine | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 24 | Sanford | 3 | 2 | 9 | 1 | 4 | 3 | 1 | 6 | 2 | 3 | 0 |
| Statewide Totals | | 114 | 136 | 206 | 198 | 208 | 271 | 250 | 230 | 150 | 109 | 78 |

Chart 5

Deaths Caused by Heroin by Year 1996 – 2006





Chart 6

Frequency of Occurrence of Benzodiazepines January – December 2006



Note: 7-amino-clonazepam, clonazepam, desalkylflurazepam, estazolam, flunitrazepam (Rohypnol), flurazepam, hydroxyethylflurazepam, and triazolam constituted less than 1% of the drug frequencies.

Chart 7

Manners of Death for Cases Reported (Accidental, Homicide, Natural, Suicide or Undetermined)






Chart 7

Manners of Death for Cases Reported (Accidental, Homicide, Natural, Suicide or Undetermined)









Chart 7

Manners of Death for Cases Reported (Accidental, Homicide, Natural, Suicide or Undetermined)



**Medical Examiners Commission Staff
Florida Department of Law Enforcement**

**Post Office Box 1489
Tallahassee, Florida 32302
(850) 410-8600
FAX: (850) 410-8621
www.fdle.state.fl.us/cjst/mec**

Bureau Chief & Staff Director Vickie Marsey
(850) 410-8600
vickiemarsey@fdle.state.fl.us

Government Analyst II Jim Luten
(850) 410-8609
jimluten@fdle.state.fl.us

Customer Service Specialist Branch Hagen
(850) 410-8608
branchhagen@fdle.state.fl.us

Administrative Assistant Debbie Turvaville
(850) 410-8610
debbieturvaville@fdle.state.fl.us